


## C links



| Code     | d  | A  | B    | L  | L1 | BL kg | Weight (g) |
|----------|----|----|------|----|----|-------|------------|
| 74-5-A4  | 5  | 8  | 17.5 | 20 | 30 | 300   | 10         |
| 74-6-A4  | 6  | 9  | 21   | 24 | 36 | 450   | 17         |
| 74-8-A4  | 8  | 12 | 28   | 32 | 48 | 650   | 41         |
| 74-10-A4 | 10 | 15 | 35   | 40 | 60 | 900   | 60         |
| 74-13-A4 | 13 | 20 | 46   | 52 | 78 | 1600  | 90         |
| 74-16-A4 | 16 | 24 | 56   | 64 | 96 | 3000  | 200        |

Notes : Dimensions are a guide and may vary slightly. Pls check with us for dimension critical applications.  
 If Break (BL), Safe working load (SWL) or Working load limit (WLL) are shown:  
 This is a guide only. (Do not use for lifting unless it is a certified lifting product)

### Chain connecting links or C links

These chain connecting links are quick and easy to use and have a similar appearance to the chain. They can easily be linked together and are often used for netting repair.

|               |              |
|---------------|--------------|
| MATERIAL TYPE | A4 STAINLESS |
| FINISH        | POLISHED     |

### ADVANTAGES

- Large number of sizes available
- Quick and easy fit